



# **2005 SPECIFICATIONS**

| EXTERIOR<br>DIMENSIONS | INTERIOR<br>DIMENSIONS | CAPACITIES | PC |
|------------------------|------------------------|------------|----|

| EXTERIOR<br>DIMENSIONS                    | INTERIOR<br>DIMENSIONS     |
|---|----------------------------|
| Wheelbase (in)<br>106.7                   | Leg Room (in)<br>44.6      |
| Overall Length (in)<br>182.8              | Head Room (in)<br>35.4     |
| Overall Height<br>at curb (in)<br>44.3    | Shoulder Room (in)<br>57.7 |
| Overall Width (in)<br>76.9                | Hip Room (in)<br>57.8      |
| Front Track (in)<br>63.0                  |                            |
| Rear Track (in)<br>63.7                   |                            |
| Weight Distribution<br>(ft/rear)<br>43/57 |                            |
| Overall Shadow<br>(sq ft)<br>96.8         |                            |
| Approach Angle<br>(deg)<br>9.2            |                            |

Departure Angle (deg)

14.0

| CAPACITIES                               |
|--|
| Seating Capacity<br>2                    |
| Passenger Volume<br>(cu ft)<br>52.8      |
| Interior Volume<br>Index (cu ft)<br>54.4 |
|  |
|  |
|  |
|  |
|  |
|  |
|  |

| POWERTRAIN   |                 |
|--|-----------------|
| Engine Type<br>DOHC, 4 valves<br>per cylinder,       | <b>B</b> o      |
| supercharged V-8 Engine                              | Alı             |
| Displacement (L)<br>5.4                              | 91<br>(p        |
| Displacement<br>(cu in/cc)<br>330/5409               | Fu<br>Se        |
| Horsepower<br>@ RPM<br>550@6,500                     | inj<br>wi       |
| Torque<br>@ RPM (lb ft)<br>500@3,750                 | Oi<br>wi<br>12  |
| Horsepower<br>Specific Output<br>(hp/liter)<br>101.9 | Us<br>Ca<br>17. |
| Torque<br>Specific Output<br>(lb ft/liter)<br>92.6   |                 |
| Compression Ratio (in/mm)                            |                 |

8.4:1

| Bore/Stroke (mm)<br>90.2x105.8   |
|--|
| Material<br>Aluminum block   |
| Recommended Fuel<br>91 octane<br>(premium)   |
| Fuel System Sequential multi- port electronic fuel injection (SEFI) with dual injectors per cylinder |
| Oil Capacity<br>with Filter (quarts)<br>12   |
| Usable Fuel<br>Capacity (gal)<br>17.5  |
|  |
|  |
|  |

| 6-speed manual   |
|--|
| Gear Ratios 1 - 2.61 2 - 1.71 3 - 1.23 4 - 0.94 5 - 0.77 6 - 0.63 Reverse - 3.135      |
| Final Drive Ratio<br>3.36  |
| Gear Synchronization 1 - Triple 2 - Triple 3 - Triple 4 - Triple 5 - Double 6 - Double |

**TRANSAXLE** 

Type

| Front Suspension<br>Double Wishbone        |
|--|
| Rear Suspension Double Wishbone            |
| Steering Type<br>Rack-and-Pinion           |
| Steering Ratio<br>17 to 1                  |
| Turns<br>(Lock-to-Lock)<br>2.7             |
| Turning Circle<br>(Curb-to-Curb)<br>40 ft. |
| Brake System<br>Vacuum<br>Power Assist     |
| Front Brakes (in)<br>14.0                  |
| Rear Brakes (in)<br>13.2                   |

| CHASSIS  | WHEELS                                  |
|--|---|
| Drivetrain Layout<br>Mid-engine,<br>Rear-wheel drive | Standard                                |
| Front Suspension Double Wishbone                     |   |
| Rear Suspension<br>Double Wishbone                   | 18" Front /19"                          |
| Steering Type<br>Rack-and-Pinion                     | BBS™ Painted<br>Cast Aluminun<br>Wheels |
| Steering Ratio<br>17 to 1                            |   |
| Turns  |   |



Optional

Rear

18" Front /19" Rear BBS™ Painted Forged Lightweight Aluminum Wheels



## MARK IV RED CLEARCOAT



**PAINTED RACING STRIPES - WHITE** 

Painted over hood, roof, rear hatch and painted bodyside "FORD GT" Logo Stripes (Optional)





**BODYSIDE VINYL STRIPES - WHITE** 

Bodyside "FORD GT" Logo Vinyl Tape Stripes (Standard)







## **CENTENNIAL WHITE CLEARCOAT**



**PAINTED RACING STRIPES - BLUE** 

Painted over hood, roof, rear hatch and painted bodyside "FORD GT" Logo Stripes (Optional)



BODYSIDE VINYL STRIPES – BLUE



Bodyside "FORD GT" Logo Vinyl Tape Stripes (Standard)





**NO STRIPES** 



## MIDNIGHT BLUE CLEARCOAT METALLIC



**PAINTED RACING STRIPES - WHITE** 

Painted over hood, roof, rear hatch and painted bodyside "FORD GT" Logo Stripes (Optional)





**BODYSIDE VINYL STRIPES - WHITE** 

Bodyside "FORD GT" Logo Vinyl Tape Stripes (Standard)







## **TUNGSTEN CLEARCOAT METALLIC**



**PAINTED RACING STRIPES - SILVER** 

Painted over hood, roof, rear hatch and painted bodyside "FORD GT" Logo Stripes (Optional)



Bodyside "FORD GT" Logo Vinyl Tape Stripes (Standard)





**NO STRIPES** 



## SPEED YELLOW CLEARCOAT



**PAINTED RACING STRIPES - BLACK** 

Painted over hood, roof, rear hatch and painted bodyside "FORD GT" Logo Stripes (Optional)



**BODYSIDE VINYL STRIPES – BLACK** 

Bodyside "FORD GT" Logo Vinyl Tape Stripes (Standard)







## MARK II BLACK CLEARCOAT



**PAINTED RACING STRIPES - SILVER** 

Painted over hood, roof, rear hatch and painted bodyside "FORD GT" Logo Stripes (Optional)





**BODYSIDE VINYL STRIPES – SILVER** 

Bodyside "FORD GT" Logo Vinyl Tape Stripes (Standard)





**NO STRIPES** 





**EPIC ORANGE ON HERITAGE BLUE** 

Heritage Livery Package - New for '06. Limited Production 1960's-era racing color scheme. Includes rondels with owner selected numerals.





A. A mid-mounted, all-alunminum 5.4L DOHC supercharged V-8 engine that produces 550 horsepower. B. A six-speed Ricardo transaxle with twin-disc clutch and limited-slip differential. C. A race-inspired, double-wishbone front and rear suspension that contributes to Ford GT's exceptional handling and ride quality. D. A computer-modeled interior design that recalls the original Ford GT40. E. Massive 14-inch front and 13-inch rear disc brakes that feature four-piston aluminum calipers and cross-drilled and vented rotors to provide maximum braking performance. F. An aluminum space frame combined with Super Plastic Formed (SPF) aluminum body panels and extensive use of carbon fiber for strength and lighter weight.

