

For 68 years, Chevy Suburban has set the standard for utility vehicles. So it's no surprise that the best Suburban yet just keeps getting better. With available new features like a six-disc in-dash CD changer, Bose speaker system, XM Satellite Radio* (see page 9 for details) and DVD system, Suburban offers the most available entertainment options of any vehicle in its class.† Of course your family's security is important, so Suburban offers new safety features that include dual-level air bags, Passenger Sensing System** and available StabiliTrak.† And Suburban still has the features that helped it gain legendary status, including Vortec engines, a spacious interior and impressive towing and hauling capabilities. Chevy Suburban. From the family of Chevy Trucks — the most dependable, longest-lasting trucks on the road.§

locking rear differential.

§Dependability based on longevity: 1981–July 2001 full-line light-duty truck company registrations. Excludes other GM divisions.



^{*}Activation fee and service subscription extra.

†Based on 2002 competitive information. Excludes other GM vehicles.

**Always use safety belts and proper child restraints, even with air bags.

Even with the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active air bag. See the Owner's Manual and child safety seat instructions for more safety information.

††LS and LT half-ton models only. Not available on Z71 or models with locking rear differential



Suburban LT

IT'S LONG ON COMFORT.

One look inside Suburban LT will show you everything you need to know about accommodations in an extralarge utility. It starts with heated front-row bucket seats with Custom Leather seating surfaces. New tri-zone automatic climate control and available second-row bucket seats allow your passengers to enjoy the ride as much as you will. And an available Personal Security Package includes a one-year OnStar* Safe & Sound Package to enhance your peace of mind. When it comes to comfort, Suburban LT wrote the book.

Suburban LT Select Standard Features:

- First- and second-row Custom Leather seating surfaces.
- Front bucket seats with three heating options.
- Second-row 60/40 split-folding bench seat.
- New tri-zone automatic climate control with separate driver, front passenger and rear controls.
- New AM/FM stereo with six-disc in-dash CD changer.
- Nine Bose speakers including a subwoofer.

*Call 1-800-ONSTAR-7 or visit onstar.com for system information and details.



Suburban LT

FAMILY TRAVEL. SUBURBAN STYLE.

REDESIGNED INSTRUMENT PANEL ▼

The instrument panel in Suburban is designed to help give you an enhanced feeling of confidence when you're behind the wheel. A new Driver Information Center provides an easy-to-read, one-line display of numerous driver alerts. All gauges and major controls are clearly revealed and logically placed to provide the information you need at a glance. Plus, there are available new redundant steering wheel controls for both audio and the Driver Information Center.

120 -

◄ SECOND-ROW AUDIO CONTROLS

With second-row controls, rear-seat passengers can enjoy an entirely different music source than what is being listened to in the front. (Headphones not included.)

NEW BOSE SPEAKER SYSTEM ▼

The custom-designed Bose system with nine speakers delivers rich, lifelike sound quality to every seating position and includes a high-powered, six-channel digital signal-processing amplifier.



NEW DVD SYSTEM ▲

Chevy Suburban can be equipped with a new DVD system that allows rear-seat passengers to enjoy hours of movies or music. The DVD system includes a flip-down, seven-inch color monitor screen that is located in the headliner between the first and second row of seats for convenient rear-seat viewing, the capability to play audio or video, two wireless headphones, a remote control unit, and jacks and ports for camcorder playback and video games.



NEW XM SATELLITE RADIO ►

The available XM Satellite Radio features digital-quality sound with 100 channels of the best in music, news, sports and talk, coast to coast. Choose from 15 different program categories ranging from rock to urban to country and everything in between, with many channels completely commercial-free. And you'll receive the same AM/FM stations you always have. Visit gm.xmradio.com to learn more. XM is available only in the 48 contiguous states. Activation fee and service subscription extra.







12 Chevy Suburban LS interior in Gray/Dark Charcoal Custom Cloth.

Suburban LS

MORE ROO

Whether you plan on taking some of your closest friends across the state or hauling your riding equipment to the stables, Suburban LS has the room that lets you do what you need to do. And you'll get it done in comfort and style, thanks to these select standard features:

- Nine-passenger Custom Cloth seating.
- 40/20/40 front split-bench seat with manual driver and front-passenger recliners.
- New tri-zone manual climate control with separate driver, front passenger and rear controls.
- AM/FM stereo with CD and cassette players.
- Eight-speaker audio system.
- Solar-Ray deep-tinted glass.
- Foglamps.
- Remote Keyless Entry.
- Assist steps.
- Body-side moldings with chrome accents.
- Bright-machined aluminum wheels (half-ton models).
- Polished forged-aluminum wheels

(three-quarter-ton models).



◄ OVERHEAD CONSOLE

In Suburban LS, the overhead console includes controls for map lights and rear-seat air conditioning and heat.

NEW DRIVER INFORMATION CENTER ►

Integrated into the Suburban instrument panel, this feature monitors and reports on the status of numerous vehicle functions, including fuel level, oil pressure and outside conditions.



EXTENDED FLOOR CONSOLE ►

When you order available front bucket seats, you also get an extended floor console. It features a storage area, a map pocket, two front cup holders and a coin holder—all within easy reach.

▼ FRONT BUCKET SEATS

Suburban LS can be equipped with stylish available front bucket seats with either Custom Cloth or Custom Leather seating surfaces (shown).



GROUND ILLUMINATING MIRRORS ▼

As a standard feature on Suburban, electric mirrors include a light at the bottom of their surface. The light illuminates the ground around the front doors for convenient entry and exit.

◄ SUNROOF

Most Chevy Suburban models can be equipped with an available sunroof. With just the push of a button, the glass panel can be opened, closed or set to a vent position. A retractable interior shade is also included as part of the sunroof.



Suburban Z71

LEAVE THE MAP BEHIND.

Head north on the highway. Take the last exit. Go down the first dirt path. Make a left on the road less traveled.

That's where the real fun begins and where Suburban Z71

4x4 is truly at home — thanks to these select features:

- Z71 Off-Road suspension.
- Rear locking differential.
- High-capacity air cleaner.
- Skid plates.
- Body-color grille, bumpers, door handles and mirrors.
- Specially designed luggage rack with rear roller.
- 17-inch wheels and tires
- Tubular assist steps.
- Wheel flares with extensions.
- Rounded foglamp
- Dark Gray rocker moldings.
- One-year OnStar Safe & Sound Package standard.*
- New available brush guard.
- Available heated front bucket seats.

*Call 1-800-ONSTAR-7 or visit onstar.com for system information and details.





▲ NEW Z71 BRUSH GUARD

An available new brush guard exclusive to Suburban Z71 covers the front grille and adds a distinctive and practical accent to your sport utility vehicle. Interim availability.


Z71 LUGGAGE RACK ▼

Suburban Z71 features a luggage rack that includes a roller at the back of its design. This feature helps you slide items like a large canoe into place with more ease.



Versatility

With a family, you need to be versatile if you want to keep up. That's where Suburban comes in. With about 134 cu. ft. of cargo volume,* you can haul a lot of lumber or landscaping supplies. Or, when you need to pick up your teenagers and their friends after a concert, Suburban's standard nine-passenger seating will make sure everyone has a great seat. Of course, for those in-between days, a second-row 60/40 splitfolding bench seat is standard. Bottom line? There are no typical days. Good thing Suburban is ready to



For extra cargo capacity, the third-row bench seat can



Suburban is still the only vehicle in its class to offer a choice of either rear cargo doors or available liftgate/ liftglass.* The liftgate is constructed of lightweight aluminum, so it's easy to lift. The liftglass lets you open it up quickly to toss in small items.

*Excludes other GM vehicles.



⊲ CARGO SECURITY SHADE AND CARGO NET

An available Cargo Package includes a retractable security shade, cargo net, cargo mat and luggage rack crossrails. The shade keeps belongings in the cargo area out of sight, while the net helps keep items like groceries from moving when you are driving.

SPARE TIRE LOCATION ▼

The spare tire in Chevy Suburban is mounted to the underside of the vehicle to provide extra cargo room.

◄ NEW ELECTRONIC ADJUSTABLE PEDALS

This new feature is available in the Driver Convenience Package and enables drivers of various heights to adjust pedal height forward and rearward. The vehicle must be in Park to use this feature.



◄ THIRD-ROW CONVENIENCE

be folded down, flipped forward and stowed.



Because the right-passenger side of the 60/40 splitfolding bench seat is placed on a sliding entry track, the seat can be pushed forward. The result: easy access to the third-row seat.

Vortec Power

LIKE A FORCE OF NATURE.

The Vortec engines that drive every Chevy Suburban have the power you need to take on snow, mud, gravel or city streets with confidence. An available Vortec 8100 V8 in three-quarter-ton models is the most powerf gasoline engine in its class* - more powerful that V10 engine from Ford. And as you'd expect, the Vor 6000 V8 engine standard in three-quarter-ton models and the Vortec 5300 V8 standard in half-ton models are more than capable of carrying on the Chevy Truck tradition of power. Vortec engines. The driving force behind Chevy Suburban.


*Based on 2002 model year competitive information. Excludes other GM v

VORTEC ENGINE AVAILABILITY FOR CHEVY SUBURBAN


| MODEL | ENGINE | HORSEPOWER @ RPM | TORQUE @ RPM |
|-------------------|-------------|---------------------|-----------------|
| Half-Ton | Vortec 5300 | 285 | 325 lbft. |
| (standard) | V8 SFI | @ 5200 | @ 4000 |
| Three-Quarter-Ton | Vortec 6000 | 320 | 360 lbft. |
| (standard) | V8 SFI | @ 5000 | @ 4000 |
| Three-Quarter-Ton | Vortec 8100 | 340 | 455 lbft. |
| (optional) | V8 SFI | @ 4200 | @ 3200 |




VORTEC 5300 V8



VORTEC 6000 V8



VORTEC 8100 V8





Trailering Features

HAUL WITH CONFIDENCE.

Towing a trailer involves all major vehicle systems of your Chevy Truck, including powertrain, steering, suspension, tire and brake systems. Easy and safe trailering requires a properly equipped vehicle, additional trailering equipment and an appropriate trailer. It also requires loading both the vehicle and trailer properly, using safe driving techniques, meeting regional legal requirements and following break-in and maintenance schedules. For more information, consult the Owner's Manual, speak to a trailering expert at your Chevrolet dealership or visit our web site at chevy.com. The charts on this page will assist in determining how to best equip your Chevy Truck for trailering. To help you understand the charts, consider these trailering factors:

Torque: Indicates the strength of the engine. Low-end torque reflects how much force is generated to get your vehicle moving.

Horsepower: Indicates how much work the engine does at a certain engine speed. At mid to high engine rpm, it's what keeps you moving at highway speeds.

Axle Ratio: Along with your vehicle's transmission gears, a higher rear axle ratio contributes to how much available torque and horsepower (mechanical leverage) can be applied to the drive wheels for launch and uphill performance.

Higher rear axle ratios, however, sacrifice fuel economy when not trailering.

Ball Hitch Trailering: There are two types of ball hitches. A weight-carrying hitch consists of a ball and coupler with no means to distribute the hitch weight. It is used primarily for lightweight trailers. Heavier trailers, however, require a weight-distributing hitch, which uses spring bars to transfer some of the hitch weight forward onto the tow vehicle's front axle and rearward onto the trailer's axle(s). RGAWR and GVWR: Addition of trailer hitch weight cannot cause vehicle weights to exceed Rear Gross Axle Weight Rating (RGAWR) or Gross Vehicle Weight Rating (GVWR). These ratings can be found on the certification label

located on the driver door or door frame.

GCWR: The Gross Combination Weight Rating is the total allowable weight of the completely loaded vehicle and trailer. A properly equipped tow vehicle and trailer at the maximum GCWR should be able to accelerate and merge with traffic, climb typical interstate grades at highway speeds, handle the combination on virtually all road surfaces and stop adequately within a reasonable distance. Maximum Trailer Rating: This rating is determined by subtracting the tow vehicle's weight (curb weight) from the GCWR. When a base vehicle (curb) weight is used, additional passenger, equipment and cargo weight will reduce the maximum trailer rating.

TRAILERING CAUTIONS

NOTE: Please read this Trailering Caution safety information before trailering with your new truck.

NOTE: The safety steps described here are by no means the only precautions to be taken when trailering. See the Owner's Manual for the Chevy Truck of your choice for additional guidelines and trailering tips.

Trailering Caution: If you don't use the correct equipment and drive properly, you can lose control of your vehicle when you pull a trailer. For example, if the trailer is too heavy, your vehicle brakes may be less effective. You and your passengers could be seriously injured. Pull a trailer only after you have taken the following steps.

Trailer Brakes: If your trailer weighs more than 2,000 lbs. loaded, then it must have its own adequate brakes. Be sure to read and follow the instructions for the trailer brake controller so that it is installed, adjusted and maintained properly.

■ Don't tap into your vehicle's brake system if the trailer's brake system will use more than 0.02 cu. in. of fluid from your vehicle's master cylinder. If it does, neither braking system will work well. You could even lose your vehicle brakes.

Weight-Carrying Hitch Limit: 5,000-lb. trailer with 600-lb. tongue weight. Weight-distributing hitch and sway control required over 5,000-lb. trailer weight. The vehicle owner is responsible for obtaining the hitch ball, a hitch of the proper size, type and capacity, and other appropriate equipment required to safely tow both the trailer and the load that will be towed. Ask your Chevrolet dealer for advice about the proper towing equipment for your new vehicle.

■ The trailer brake parts must be able to take 3,000 psi of pressure. If not, the trailer brake system must not be used with your vehicle. If everything checks out thus far, have a qualified individual make the brake fluid tap at the master cylinder port that sends fluid to the rear brakes. Don't use copper tubing, because it will bend and ultimately break. Use only double-walled steel brake tubing.

Hitches: It's important to have the correct hitch equipment. Crosswinds, large trucks going by and rough roads are just a few reasons why you'll need the right hitch. Here are some rules to follow:

- If you'll be towing a trailer that, when loaded, will weigh more than 5,000 lbs*, be sure to use a frame-mounted, weight-distributing hitch and sway control of the proper size. This equipment is very important for proper vehicle loading and good handling when you're driving.
- If you have to make any holes in the body of your vehicle to install a trailer hitch, be sure to seal the holes if you ever remove the hitch. If they're not sealed, dirt, water and deadly carbon monoxide from the exhaust can get into your vehicle.
 *Maximum trailer rating may be less based upon powertrain combination.

SUBURBAN TRAILERING SPECIFICATIONS

Weight-carrying hitch limit: 5,000-lb. trailer with 600-lb. tongue weight. Weight-distributing hitch and sway control required over 5,000-lb. trailer weight. The vehicle owner is responsible for obtaining the hitch ball, a hitch of the proper size, type and capacity, and other appropriate equipment required to safely tow both the trailer and the load that will be towed. Ask your Chevrolet dealer for advice about the proper towing equipment for your new vehicle.

| | | | VORTEC 5300 V8 | | | VORTEC 6000 V8 | | VORTEC 8100 V8 | | V8 | |
|-------------|-----------------|--|-----------------------|---------------------------|---|-----------------------------|---------------------------|---|-----------------------------|---------------------------|---|
| MODEL | GVWR¹ (lbs.) | Max. Payload ² (lbs.) | GCWR ³ | Required Axle Ratio | Max. Trailer Weight ⁴ (lbs.) | GCWR ³ (lbs.) | Required Axle Ratio | Max. Trailer Weight ⁴ (lbs.) | GCWR ³ (lbs.) | Required Axle Ratio | Max. Trailer Weight ⁴ (lbs.) |
| 1/2-ton 2WD | 7000 | 1677 | 13,000 14,000 | 3.73 4.10 | 7400 8400 | | | | | | |
| 4x4 | 7200 | 1633 | 13,000 14,000 | 3.73 4.10 | 7100 8100 | | | | | | |
| 3/4-ton 2WD | 8600 | 2788 | | | | 14,000 16,000 | 3.73 4.10 | 7900 ⁵ 9900 ⁵ | 17,000 19,000 | 3.73 4.10 | 10,400 12,000 |
| 4x4 | 8600 | 2487 | | | | 14,000 16,000 | 3.73 4.10 | 7600 ⁵ 9600 ⁵ | 17,000 19,000 | 3.73 4.10 | 10,100 12,000 |

1 GVWR (Gross Vehicle Weight Rating) includes vehicle, passengers, equipment and cargo. GVWR availability may vary, depending on series, model and equipment selected. 2 When properly equipped. Payload includes passengers, equipment and cargo. GVWR availability may vary, depending on series, model and equipment selected. 2 When properly equipped. Payload includes passengers, equipment and cargo. GVWR availability may vary, depending on series, model and equipment selected. 2 When properly equipped. Payload includes passengers, equipment and cargo. GVWR availability may vary, depending on series, model and equipment selected. 2 When properly equipped. Payload includes passengers, equipment and cargo. GVWR availability may vary, depending on series, model and equipment selected. 2 When properly equipped. Payload includes passengers, equipment and cargo. GVWR availability may vary, depending on series, model and equipment selected. 2 When properly equipped. Payload includes passengers, equipment and cargo. GVWR availability may vary, depending on series, model and equipment selected. 2 When properly equipped. Payload includes passengers, equipment and cargo. GVWR availability may vary, depending on series, model and equipment selected. 2 When properly equipped. Payload includes passengers, equipment and cargo. GVWR availability may vary, depending on series, model and equipment selected. 2 When properly equipped. Payload includes passengers, equipment and cargo. GVWR availability may vary, depending on series, model and equipment selected. 2 When properly equipped. Payload includes passengers, equipment and cargo. GVWR availability may vary, depending on series, model and equipment selected. 2 When properly equipped. Payload includes passengers, equipment and cargo. GVWR availability may vary, depending on series, model and equipment selected. 2 When properly equipment selected. 2 When properly equipment selected. 2 When properly equipment selected selected selected selected selected selected selected selected sele

NOTES: Trailer tongue weight should be 10 to 15 percent of total loaded trailer weight (up to 1,000 lbs. on 1500 models and up to 1,500 lbs. on 2500 models). Addition of trailer tongue weight cannot cause vehicle weights to exceed Rear Gross Axle Weight Rating (RGAWR) or Gross Vehicle Weight Rating (GVWR). These ratings can be found on the certification label located on the driver door or door frame. Trailer Package includes trailer hitch platform, trailer electrical connector and adapter and trailer brake jumper harness.



DIAMETER WITH QUADRASTEER ►

BEST-IN-CLASS TURNING

With available QUADRASTEER by Delphi, Suburban has a best-in-class turning diameter of 36.5 feet.* It's like having the steering maneuverability of some midsize cars while you're driving an extra-large sport utility vehicle. See below left for details on the availability of QUADRASTEER.

*Based on 2002 competitive information. Excludes other GM vehicles.




QUADRASTEER ON DEMAND A

The touch of a button takes available QUADRASTEER from two-wheel steering (2WS) to four-wheel steering (4WS). And 4WS TOW provides improved stability when towing by allowing the rear wheels to turn in conjunction with the front wheels. For more information, go to **chevy.com**. See below for details on the availability of QUADRASTEER.

QUADRASTEER AVAILABILITY

QUADRASTEER is only available on three-quarter-ton models and in conjunction with several other available features: Vortec 6000 V8 SFI engine; liftgate with liftglass; Light Pewter Metallic, Dark Green Metallic, Summit White, Sandalwood Metallic or Redfire Metallic exterior color. Includes roof marker lamps, unique rear flared fenders, limited-slip rear differential, Heavy-Duty Trailering Package and Autoride Suspension Package. 2WD models include Traction Assist system. Not available with power sunroof or Snow Plow Prep Package. The QUADRASTEER option will reduce the maximum trailer weight rating by 300 lbs.



◄ AUTORIDE SUSPENSION

The available Autoride suspension* automatically controls the amount of shock damping to optimize the ride. On Suburban half-ton models, the system also includes air-assisted rear load-leveling. (Available trailering equipment shown on vehicle.)

*Not available on Suburban LS or Z71 half-ton models.

NEW POWER CAMPER MIRRORS ►

Available on three-quarter-ton models, these new heated mirrors feature a 60-square-inch surface and are designed to telescope in and out to a vehicle width of 106 inches, allowing for an enhanced rear view.



Engineering

IT'S CHEVY TRUCK TOUGH.

SUSPENSION CHOICES

- Premium Ride helps maintain the rear suspension at an even level with the front when trailering. Standard on half-ton models, except Z71.
- **Z71** designed for driving on off-road terrain. Standard on Chevy Suburban Z71 4x4.
- Firm Ride provides a taut feel of the road with its multileaf rear spring suspension. Standard on three-quarter-ton models.
- Autoride automatically controls the amount of shock damping to optimize your ride and includes air-assisted rear load-leveling.

 Available on LT and required on three-quarter-ton LS and LT models with the Vortec 8100 V8 SFI engine or QUADRASTEER.

NEW STABILITRAK STABILITY ENHANCEMENT SYSTEM


Available on LS and LT half-ton models, StabiliTrak is a stability enhancement system that uses multiple sensors to continuously gather information about a vehicle's steering wheel angle, lateral acceleration and yaw. If it detects that the vehicle is not responding adequately to steering input, StabiliTrak applies a quick, precise force to the appropriate brake to help bring the vehicle back on track. Not available on Z71 and models equipped with the available locking rear differential. For more information on StabiliTrak, please visit chevy.com.

TOW/HAUL MODE

Tow/Haul mode, when activated, enhances trailering by changing the automatic transmission shift schedule when you're transporting heavy loads.

HYDROFORMED FRAME RAILS

The front frame rails in Suburban half-ton and three-quarter-ton models — and the rear rails in half-ton models — are made of hydroformed steel. Hydroforming optimizes stretching of the steel during the manufacturing process, which allows the steel to retain more of its strength.



EFFICIENT COOLING

Engine and transmission cooling in Suburban are designed for efficiency and reliability. An aluminum pump provides equal distribution of coolant to both banks of the Vortec engine cylinder case.

RUST-THROUGH CORROSION

All exterior body panels are constructed of either two-sided galvanized steel or aluminum (except the roof) to help protect against corrosion. When the available sunroof is chosen, the roof is also constructed of two-sided galvanized steel.

DENT-RESISTANT BODY PANELS

Outer panels on front fenders and doors, as well as rear side doors, are made of high-strength, dent-resistant steel. The panels are made to better withstand dings that can come from other vehicles' doors in parking situations.

FUEL TANK SYSTEM

Suburban three-quarter-ton models include a dual tank system: a 27-gallon primary tank and a 10-gallon secondary tank. When the primary tank's fuel level drops below five gallons, a turbine pump automatically draws fuel from the secondary tank. Suburban halfton models have a 31-gallon tank. (All capacities approximate.)

AUTOTRAC 4x4 SYSTEM

When AUTO 4WD mode is selected, Autotrac automatically transfers power between the rear and front wheels whenever rear-wheel slippage is detected. Autotrac is a standard feature on all Suburban 4x4 models.

MODULAR FRAME TECHNOLOGY

The frame of all Suburban models is made of three modular sections. These sections are manufactured separately, allowing them to meet their individual performance requirements.

BETTER BRAKE PERFORMANCE

The standard four-wheel ABS on all Suburban models has been improved. The brakes provide excellent overall feel and quiet operation. In addition, higher friction front brake linings help provide dependable braking force.

GM TIRE SAFETY

GM developed an extensive tire testing program known as Tire Performance Criteria (TPC) more than 25 years ago. TPC helps ensure that the tires GM uses are matched to that type of vehicle and have undergone a series of tests at its Tire and Wheel Laboratory (located at GM's Milford Proving Ground). GM also routinely meets with tire companies to verify the performance of tires used on all its products. Please visit gm.com for more information.

Safety and Security

YOUR FAMILY COMES FIRST.

When it comes to family travel, it's better to be on the safe side. That's why Suburban was designed to give you peace of mind, and can be equipped with the following features. See **chevy.com** for more detail

- Driver and right front-passenger dual-level air bags
- New Passenger Sensing System for the right frontpassenger front air bag.*
- Available driver and right front-passenger side-impact air bags.*
- Four-wheel antilock disc brakes
- Autotrac 4x4 system on four-wheel-drive models only.
- PASSlock II and Remote Keyless Entry.
- Available one-year OnStar Safe & Sound Package

*A NOTE ON CHILD SAFETY: Always use safety belts and proper child restraints, even with air bags. Even with the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rearfacing infant restraint in the front seat of any vehicle equipped with an active air bag. See the Owner's Manual and child safety seat instructions for more safety information.

tStandard on Suburban Z71, included with the available Personal Security Package on LT and available on Suburban LS. Call 1-800-ONSTAR-7 or visit onstar.com for system information and details.

NEW POWER-FOLDING HEATED MIRRORS ►

New power-folding heated mirrors are standard on LT and Z71 models and feature power tilt glass, driver-side electrochromic glass, ground illumination lamps and built-in turn signals. These mirrors are especially convenient in tight parking situations, as they can be folded in easily with just the touch of a button.



NEW PASSENGER SENSING SYSTEM ►

The right front-passenger front air bag includes a new Passenger Sensing System.* The system is designed to automatically switch the air bag on or off based on a passenger's weight. An indicator on the inside rearview mirror monitors system status.

*A NOTE ON CHILD SAFETY: Always use safety belts and proper child restraints, even with air bags. Even with the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rearfacing infant restraint in the front seat of any vehicle equipped with an active air bag. See the Owner's Manual and child safety seat instructions for more safety information.



NEW STABILITRAK ▼

StabiliTrak, available on Suburban LS and LT half-ton models, is a stability enhancement system that monitors vehicle dynamics continuously, at any speed, on any surface. If it detects the vehicle is not responding adequately to steering input, StabiliTrak applies a quick, precise force to the appropriate brake to help bring the vehicle back on track. Not available on Suburban Z71 and models equipped with available locking rear differential.







GM Accessories

You might think that since Suburban is such a wellequipped Chevy Truck, there's not much you could do to take its functionality up a notch. But that's just what available GM Accessories are designed for. These dealer-installed features let you personalize Suburban and have the added advantage of being covered under the GM New Vehicle Limited Warranty.* For more information, please call toll free 866-901-9001.

*See your Chevrolet dealer for details of this limited warranty.



This available lockable plastic carrier is the ideal place to store and protect your cargo. There are both short and long hard cargo carriers. A factory roof rack and available GM Accessories utility bars are required.

CARGO ORGANIZER ▼

An available cargo organizer features an adjustable dual-divider system for securing items ranging from outdoor gear to groceries and sporting equipment.





Additional Information

Chevy Trucks are the most dependable, longest-lasting trucks on the road* — sold and serviced by the largest dealer network in the USA. When you buy a Chevy Truck, you also get a rock-solid, comprehensive owner protection plan that includes a New Vehicle Limited Warranty, 24-Hour Roadside Assistance and Courtesy Transportation. Your Chevrolet dealer has all the details

Visit chevy.com for:

■ 360° views ■ Detailed feature explanations and demonstrations Pricing and offers Dealer locato

- Competitive comparisons
 Warranty inform

THE CHEVROLET OWNER CENTER

The Chevrolet Owner Center is a place where you'll be able to easily and conveniently find relevant information and services for your vehicle. Register your vehicle at

chevy.com/mygmlink to access information including:

- Special offers and privileges Important safety information
- Maintenance reminders News and events
- Warranty/service information Service history tracking
- Your Owner's Manual Personal Digital Assistant (PDA) applications



With the push of a button, available OnStar service tar connects you with trained OnStar Advisors. They'll offer valuable assistance for just about any situation — ON BOARD 24 hours a day, seven days a week — providing safety,

security and convenience wherever you drive. OnStar services require vehicle electrical system and wireless service to be available and operating for features to function properly. Services will vary depending on truck brand purchased and service plan. For system information and details, call 1-800-ONSTAR-7 (1-800-667-8277) or visit us at onstar.com.

THE GM CARD

What are you charging toward? The GM Card rewards you 5% on every credit card purchase, making it the fastest way to save toward the GM car or truck of your dreams. For information or to apply for The GM Card, call 1-800-8GM-CARD or visit our web site at gmcard.com.



New Vehicle Limited Warranty

This warranty is for GM vehicles registered in the USA. See your Chevrolet dealer for terms and conditions.

Covered for 3 years/36,000 miles (whichever comes first):

- The complete vehicle Tires Towing to your nearest Chevrolet dealership
- Cosmetic corrosion resulting from defects Repairs made to correct any vehicle defect ■ No charge for most warranty repairs

Covered for 6 years/100,000 miles (whichever comes first):

■ Rust-through corrosion

24-Hour Roadside Assistance

Call 1-800-CHEV-USA toll free anytime during the warranty period. Towing and basic technical advice come with the Basic Care Package. Courtesy Care provides additional features,*

including locksmith services, flat tire changing, fuel delivery, non-warranty towing and jump starts. Some services will incur costs. Chevrolet reserves the right to modify or discontinue Basic Care and Courtesy Care at any time.

*During the term of the New Vehicle Limited Warranty.



Ask your participating Chevrolet dealer for Courtesy Transportation if you drop your vehicle off for repairs under the New Vehicle Limited Warranty. Also see if you qualify for expense reimbursement and/or vehicle rental. Services vary at election of



participating dealer.

CHEVROLET CUSTOMER ASSISTANCE CENTER Call 1-800-222-1020 toll free to talk directly to specialists who can handle any product or service concern you may have.



FROM DAY ONE . . .

The vehicle is checklist-ready for you to drive away, and a full orientation awaits you on everything about your new Chevy



FOR MORE INFORMATION ON 2003 CHEVROLET CAR OR TRUCK PRODUCTS, CALL 1-800-950-2438 or visit us at CHEVY.COM.



ACCELERATE YOUR COLLEGE SAVINGS

GM — along with many other leading companies — has teamed up with Upromise, the revolutionary college savings accelerator that can help you save thousands of dollars for **u**promise[™] college. When you purchase or lease an eligible new

Chevrolet, GM will contribute \$150 into your Upromise college savings account. For complete details on the GM-Upromise program, go to http://upromise.gm.com. Enrollment is simple and absolutely free. To receive the \$150 GM contribution, you need to be a Upromise member 30 days before you take delivery of your vehicle.

IMPORTANT: A WORD ABOUT THIS BROCHURE We have tried to make this brochure comprehensive and factual. We reserve the right, however, to make changes at any time, without notice, in prices, colors, materials, equipment specifications, models and availability. Since information may have been updated since the time of printing, please check with your Chevrolet dealer for complete details. Chevrolet reserves the right to lengthen or shorten the model year for any product for any reason or to start and end model years at different times.

AN IMPORTANT NOTE ABOUT ALTERATIONS AND WARRANTIES

Installations or alterations to the original equipment vehicle (or chassis) as distributed by General Motors are not covered by the General Motors New Vehicle Limited Warranty. The special body company, assembler, equipment installer or upfitter is solely responsible for warranties on the body or equipment and any alterations (or any effect of the alterations) to any of the parts, components, systems or assemblies installed by GM. General Motors is not responsible for the safety or quality of design features, materials or workmanship of any alterations by such a supplier

UPDATED SERVICE INFORMATION Chevrolet dealers receive useful service bulletins about Chevrolet products. You can purchase them by calling **1-800-551-4123.**

ASSEMBLY Chevrolet vehicles and their components are assembled or produced by different operating units of General Motors, its subsidiaries or suppliers to GM worldwide. We sometimes find it necessary to produce Chevrolet vehicles with different or differently sourced components than originally scheduled. Since some options may be unavailable when your vehicle is assembled, we suggest that you verify that your vehicle includes the equipment you ordered or, if there are changes, that they are acceptable to you.

Engines Chevrolet vehicles are equipped with engines produced by different operating units of GM, its subsidiaries or suppliers to GM worldwide.

GM PROTECTION PLAN The GM Protection Plan offers mechanical repair protection in addition to that provided by GM's New Vehicle Limited Warranty. Coverage for vehicle maintenance is also available. Ask your dealer about the GM Protection Plan. Coverage available only in the U.S. and Canada.

RUST-THROUGH CORROSION PROTECTION Chevrolet vehicles are designed and built to resist corrosion. All body sheet-metal panels are warranted against rust-through for 6 years/100,000 miles (whichever comes first). Application of additional rust-inhibiting materials is not required and none is recommended. See your Chevrolet dealer for terms of

September 2002

 $\label{eq:General Motors, GM, the GM Emblem, the GM Card, GM Protection Plan, Chevrolet, the} General Motors, GM, the GM Emblem, the GM Card, GM Protection Plan, Chevrolet, the$ Chevrolet Emblem, Astro, Blazer, Chevy Express, S-10, Silverado, Suburban, Tahoe, Tracker, TrailBlazer, Autoride, Autotrac, Hydra-Matic, Solar-Ray, TheftLock, PASSlock, StabiliTrak, Z71, 1-800-CHEV-USA and What Are You Charging Toward are registered trademarks and Chevy, Avalanche, SSR and Vortec are trademarks of the General Motors Corporation. GMAC is a registered service mark of the General Motors Acceptance Corporation. OnStar is a registered service mark of OnStar Corporation. Bose is a registered trademark of the Bose Corp. QUADRASTEER is a trademark of Delphi Corporation. HomeLink is a registered trademark of Johnson Controls, Inc. The XM name is a registered trademark of XM Satellite Radio Inc. ©2002 General Motors Corporation. All rights reserved.



Interior Color Availability and Wheels



LT SEATS

Standard Suburban LT first- and second-row Custom Leather seating surfaces. Shown in Tan.



LS SEATS

LT AND LS COLOR AVAILABILITY EXTERIOR COLORS INTERIOR COLORS

| | GRAY/DARK CHARCOAL | TAN/ NEUTRAL |
|-----------------------|-----------------------|-----------------|
| Black | _ | |
| Indigo Blue Metallic | _ | |
| Light Pewter Metallic | | |
| Dark Green Metallic | - | |
| Dark Gray Metallic | | |
| Redfire Metallic | - | |
| Sandalwood Metallic | | |
| Summit White | | |

Z71 COLOR AVAILABILITY

Tan/Neutral Custom Cloth

with Neutral accents.

Gray/Dark Charcoal

Custom Cloth.

Available Suburban LS Custom Cloth bucket seat shown in

| EXTERIOR COLORS | INTERIOR | COLORS |
|-----------------------|-----------------------|-----------------|
| | GRAY/DARK CHARCOAL | TAN/ NEUTRAL |
| Black | | |
| Light Pewter Metallic | | |
| Dark Green Metallic | - | |
| Summit White | | |

- **A.** 16-inch LS and LT three-quarter-ton eight-lug, polished forged-aluminum with bright chrome finish center caps.
- **B.** 17-inch Z71 six-lug, machined cast-aluminum.
- **C.** 16-inch LS and LT half-ton six-lug, bright-machined aluminum.

Buyer's Guide

| TRIM LEVEL | LS | Z711 | LT |
|--|------------------|------------------|------------------|
| EXTERIOR FEATURES | | | |
| Air dam: Gray | S | - | S |
| Air dam: Dark Gray, bold style | - | S | - |
| Assist steps: – Side-mounted, black – Side-mounted, tubular | S - | - S | S - |
| Body panels: two-sided galvanized-steel or aluminum (except roof panel w/o sunroof) | S | S | S |
| Bumpers: – Front, bright chrome finish with top pad – Front, painted – Rear, bright chrome finish with step pad – Rear, painted with step pad | S - S - | - S - S | S - S - |
| Color-keyed exterior accents: – Mirrors, door handles – Body-side moldings (specific colors) – Front bumper top pad (specific colors) | - - - | S - - | S S S |
| Daytime Running Lamps with Automatic Exterior Lamp Control | S | S | S |
| Defogger: rear-window, electric | S | S | S |
| Doors: rear – Cargo – Liftgate: rear with washer/wiper | S O | S O | S O |
| Foglamps, halogen – Rectangular – Rounded | S - | - S | S - |
| Grille: – Bright chrome finish – Color-keyed | S - | - S | S - |
| Grille brush guard | - | 0 | - |
| Luggage rack: black, roof-mounted with side rails only; cross rails included in available Cargo Package | S | - | S |
| Luggage rack: black, includes cross rails with rear roller | - | S | _ |
| Mirrors, outside rearview: – Matte black foldaway, power adjustable, heated with ground illumination – Body-color power folding, power adjustable, heated with ground illumination, | S | - | - |
| driver-side self-dimming feature, curb-tilt and turn signal indicators in glass - Power extending heated camper mirrors with ground illumination and turn signal indicators in glass (three-quarter-ton only) | - 0 | S - | S |
| Moldings: body-side | S | _ | S |
| Moldings: lower rocker (Dark Gray) | _ | S | _ |
| Recovery hooks: two front (4x4 models) | S | S | S |
| Spare tire: underbody, 16-inch with winch-type carrier | S | S | S |
| Sunroof: power, tilt-sliding with express-open and wind deflector (N/A with rear-seat entertainment system) | 0 | 0 | 0 |
| Wheel flares (standard on three-quarter-ton models) | O1 | _ | O1 |
| Wheel flares with extensions | _ | S | - |
| | | | |

| RIM LEVEL | LS | Z711 | LT |
|---|--------------------------|-------------|--------------------------|
| HASSIS FEATURES | | | |
| ir cleaner: high-capacity | - | S | - |
| lternator: 145-amp | S | S | S |
| attery: HD 600 cca; includes rundown protection and retained accessory power | S | S | S |
| rakes: four-wheel antilock with front/rear disc and Dynamic Rear Proportioning (DRP) | S | S | S |
| ngine: - Vortec 5300 V8 SFI (half-ton models) - Vortec 6000 V8 SFI (three-quarter-ton models) - Vortec 8100 V8 SFI (three-quarter-ton models) | S S O ² | S - - | S S O ² |
| ngine block heater | 0 | 0 | 0 |
| uel capacity (approximate): - 31-gallon (half-ton models) - 37-gallon (three-quarter-ton models) | S S | S - | S S |
| ocking rear differential ³ | 0 | S | 0 |
| UADRASTEER: 4-wheel steering; (three-quarter-ton models only) | O4 | - | O4 |
| kid Plates and Wheel Flares Package: incl. shield protecting front underbody, oil pan, fferential case and transfer case; frame-mounted shield (half-ton 4x4 only) | 0 | S | 0 |
| now Plow Prep Package (three-quarter-ton 4x4 models) | O5 | _ | O ⁵ |
| tabiliTrak ⁶ vehicle stability enhancement system | 0 | - | 0 |
| teering: power-assisted recirculating ball | S | S | S |
| uspension, front: Independent torsion bar with stabilizer bar | S | S | S |
| uspension: rear - Multilink with coil springs (half-ton models) - Multistage leaf springs (three-quarter-ton models) | S S | S - | S S |
| uspension: Z71 Off-Road | - | S | - |
| res: - P265/70R-16 all-season Touring, blackwall (half-ton models only) - P265/70R-16 all-season Touring, white outlined letter (half-ton models only) - P265/70R-17 on-/off-road, blackwall - LT245/75R-16E all-season, blackwall (three-quarter-ton models only) - LT245/75R-16E on-/off-road, blackwall (4x4 three-quarter-ton models only) | S O - S O | - S - | S O - S O |
| ailering Package: trailer hitch platform; seven-pin wiring connector; transmission oil cooler | 0 | S | 0 |
| ransfer case: Autotrac active (4x4 only) | S | S | S |
| ransmission: Hydra-Matic four-speed automatic with overdrive and Tow/Haul mode | S | S | S |
| ransmission oil cooler: - Half-ton models - Three-quarter-ton models | O ⁷ | S - | O ⁷ |
| | | | |

S – Standard O – Optional

1 Half-ton 4x4 only. 2 Requires Autoride suspension. 3 Not available on vehicles with optional StabiliTrak. 4 Requires Vortec 6000 V8 SFI engine and liftgate with liftglass. Requires Light Pewter Metallic, Dark Green Metallic, Summit White, Sandalwood Metallic or Redfire Metallic exterior color. Includes roof marker lamps, unique rear flared fenders, limited-slip rear differential, Heavy-Duty Trailering Package and Autoride Suspension Package. 2WD models include Traction Assist system. Not available with power sunroof or Snow Plow Prep Package. 5 Requires Vortec 6000 V8 SFI engine and Firm Ride Suspension Package. Not available with power sunroof or QUADRASTEER. 6 Half-ton models only. Not available with locking rear differential. 7 Requires Trailering Package.

| TRIM LEVEL | LS | Z711 | LT |
|--|---------------------|---------------------|--------|
| SEATING | | | |
| Front-row seats: - Custom Cloth 40/20/40 split-bench seat with six-way power driver seat, manual recliners and center armrest storage - Buckets seats with six-way power driver seat, manual recliners, inboard | S | - | - |
| armrests and floor console: - Custom Cloth - Custom Leather seating surfaces - Heated bucket seats with Custom Leather seating surfaces, 8-way power, driver memory, driver and passenger power recline, lumbar support, seatback bolster | 0 | - S | - - |
| and adjustable head restraints | _ | 0 | S |
| Second-row seats: - 60/40 split-folding bench - Dual buckets (requires front bucket seats and Custom Leather seating surfaces) | S O | S O | S O |
| Third-row seat: bench - Cloth - Vinyl (with front and second-row Custom Leather seating surfaces) | S O | - S | - S |
| INTERIOR FEATURES | | | |
| Air bags: frontal; driver and right front passenger; ² includes Passenger Sensing System | S | S | S |
| Air bags, side-impact: driver and right front-passenger ² | 0 | 0 | O3 |
| Climate control: - Tri-zone, with front/rear manual controls - Tri-zone, with front/rear automatic controls | S O ⁴ | S O ⁴ | - S |
| Assist handles: front-passenger and second-row outboard | S | S | S |
| Cargo Package: includes retractable rear cargo shade, rear cargo net and mat and luggage rack center rails | 0 | S | 0 |
| Console: floor, includes storage area, map pocket, coin holder, cup holders, second-row audio controls and climate controls | 0 | S | S |
| Console: overhead | S | S | S |
| Cruise control: electronic with telltale in instrument panel cluster | S | S | S |
| Cup holders: dual front and dual rear | S | S | S |
| Door locks: - Programmable power with lockout protection - Remote Keyless Entry and content theft alarm | S S | S S | S S |
| Driver Convenience Package: includes HomeLink transmitter, power adjustable pedals, steering wheel-mounted controls for audio and Driver Information Center | 0 | 0 | 0 |
| Driver Information Center: tracks numerous functions (depending on options) | S | S | S |
| Driver Message Center: monitors vehicle systems, including: low fuel, transmission temp., engine coolant, security, oil pressure, and indicates when oil change is needed | S | S | S |
| Entertainment System: rear seat, includes DVD player with remote, overhead display, two infrared headphone sets, auxiliary audio/video jacks, remote game plug-in, and | 0 | 0 | 0 |
| mute button in overhead console (N/A with sunroof) | 0 | 0 | 0 |
| Floor mats: color-keyed, carpeted, for first and second rows | S | S | S |

| TRIM LEVEL | LS | Z711 | LT |
|--|---------------------|--------|---------------------|
| Glass: Solar-Ray deep-tinted | S | S | S |
| Instrument panel gauges: trip odometer, oil pressure, voltmeter, tachometer, fuel level and engine temperature | S | S | S |
| Lighting, interior: dome with delayed-entry feature, door-handle activated illuminated entry and ground illumination | S | S | S |
| Mirror: inside rearview self-dimming with eight-point compass, outside temperature readout and right-front passenger air bag status | S | S | S |
| OnStar ⁵ (includes one-year Safe & Sound Package) with air bag notification, emergency and roadside services, theft tracking, remote diagnostics, remote door unlock and AccidentAssist | 0 | S | O5 |
| PASSlock II theft-deterrent system | S | S | S |
| Personal Security Package: includes driver and right front-passenger side-impact air bags, one-year OnStar ⁵ Safe & Sound Package and steering wheel-mounted controls for audio and Driver Information Center | _ | _ | 0 |
| Power ports: Dual front, single cargo area | S | S | S |
| Safety belts: outboard lap and shoulder; lap belt only for inboard positions of first and third rows; three-point lap and shoulder belts for outboard positions of first and third rows and all positions in second row | S | S | S |
| Steering column: Tilt-Wheel adjustable | S | S | S |
| Steering wheel: - Leather-wrapped - Controls for audio and Driver Information Center | S O ⁶ | S S | S O ⁷ |
| Sunshades: cloth-covered with extenders and lighted vanity mirrors | S | S | S |
| Windows: power, with driver's Express Down and lockout features | S | S | S |
| SOUND SYSTEMS | | | |
| Audio systems: - AM/FM stereo with CD and cassette players, seek-scan, digital clock, auto tone control, speed-compensated volume, TheftLock, Radio Data System (RDS)8 and | | | |
| eight speakers | S | - | - |
| AM/FM stereo with six-disc in-dash CD changer, seek-scan, digital clock, auto tone control, speed-compensated volume, TheftLock and Radio Data System (RDS)⁸ Bose speaker system with digital signal processing six-channel amplifier and nine | 0 | S | S |
| custom-arranged speakers | 0 | S | S |
| Rear-seat audio controls: includes dual headphone jacks (headphones not included), power outlet and controls for volume, station selection and media | 0 | S | S |
| XM Satellite Radio system ⁹ (activation fee and service subscription extra) provides 100 channels of digital-quality sound, coast to coast | 0 | 0 | 0 |

S – Standard O – Optional

1 Half-ton 4x4 only. 2 Always use safety belts and proper child restraints, even with air bags. Even with the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active air bag. See the Owner's Manual for more safety information. 3 Included when Personal Security Package is ordered. 4 Included when sunroof or Entertainment System is ordered. 5 One-year OnStar Safe & Sound Package is standard on Suburban Z71, included in the available Personal Security Package on LT and available on LS. OnStar services require vehicle electrical system and wireless service to be available and operating for features to function properly. Call 1-800-ONSTAR-7 or visit onstar.com for system information and details. 6 Included when OnStar or Driver Convenience Package is ordered. 7 Included when Driver Convenience Package or Personal Security Package is ordered. 8 RDS functions only where stations broadcast RDS information. 9 Availability limited to the 48 contiguous United States.

Exterior Colors and Suspension Choices



SANDALWOOD METALLIC



SUMMIT WHITE



DARK GREEN METALLIC



REDFIRE METALLIC



DARK GRAY METALLIC . (N/A WITH QUADRASTEER)



LIGHT PEWTER METALLIC



BLACK ______ BLACK ______ (N/A WITH QUADRASTEER)



INDIGO BLUE METALLIC (N/A ON 3/4-TON MODELS OR W/QUADRASTEER)

| SUSPENSION CHOICES | LS | Z 71 | LT |
|--------------------------------------|----|-------------|----|
| Premium Ride (half-ton models) | S | - | S |
| Firm Ride (three-quarter-ton models) | S | - | S |
| Autoride (half-ton models) | - | - | 0 |
| Autoride (three-quarter-ton models) | O1 | - | 0 |
| Z71 Off-Road (half-ton 4x4 model) | - | S | - |

1 Autoride suspension is required with Vortec 8100 V8 SFI engine or QUADRASTEER.

